

Program LEQ Professional - dane do obliczeń

Program LEQ Professional v. 6-2019 dla Windows

Projekt:

C:\Users\Dell\Documents\DOKUMENTY\GREEN PROJEKT\aaa - PROGRAM LEQ\Dane wsadowe LEQ\Dane v

Dane do obliczeń :

Współczynnik gruntu (całego obszaru analizy)-global G = 0,000
Temperatura otoczenia 10[°C]

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	836.3	566.5	7.7	77.9	w.komin
2	833.7	560.2	7.7	77.9	w.komin
3	843.1	555.9	7.7	77.9	w.komin
4	840.5	549.5	7.7	77.9	w.komin
5	849.9	545.2	7.7	77.9	w.komin
6	847.3	538.8	7.7	77.9	w.komin
7	856.7	534.5	7.7	77.9	w.komin
8	854.1	528.1	7.7	77.9	w.komin
9	805.7	553.9	7.7	77.9	w.komin
10	803.5	546.9	7.7	77.9	w.komin
11	813.2	541.9	7.7	77.9	w.komin
12	810.9	534.9	7.7	77.9	w.komin
13	820.7	529.9	7.7	77.9	w.komin
14	818.4	522.9	7.7	77.9	w.komin
15	828.1	517.9	7.7	77.9	w.komin
16	825.9	510.9	7.7	77.9	w.komin
17	831.8	564.1	1.0	95.0	agregat
18	828.5	562.4	1.0	65.7	paszoci
19	798.6	550.0	1.0	65.7	paszoci
20	813.2	525.6	1.0	65.7	paszoci

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	852.8	516.8	822.6	566.4	835.7	574.7	866.4	525.0	0.0	6.8
2	821.4	535.9	808.3	527.8	791.6	555.0	805.0	563.2	0.0	6.8
3	808.5	527.8	821.4	535.8	838.6	507.9	825.6	499.7	0.0	6.8

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła			A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1	sc.1	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
2	sc.1	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3	sc.1	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		825.0	613.4	4.0
2		753.1	597.4	4.0
3		817.2	489.6	4.0
4		776.0	465.0	4.0
5		781.1	456.0	4.0
6		853.9	502.5	4.0
7		930.3	374.2	4.0
8		974.6	370.6	4.0
9		491.3	517.0	4.0
10		970.1	776.9	4.0
11		1125.1	654.5	4.0
12		994.4	181.8	4.0
13		769.4	139.2	4.0
14		587.0	142.3	4.0